



**PIEGAFERRI ELETTRICO PER TONDO**  
**CONCRETE STEEL BENDING MACHINE**  
**COUDEUSE ELECTRIQUE POUR FER À BETON**  
**DOBLADORAS**

<b>Dati Tecnici - Technical data - Donnees Techniques - Caracteristicas</b>					
<b>Mod.</b>	Motore Motor Moteur Potencia motor	Lunghezza Lenght Longueur Longitud	Larghezza Width Largeur Anchura	Altezza Height Hauteur Altura	Peso Weight Poids Peso
<b>PS 55</b>	Hp 7,5	mm 890	mm 770	mm 840	Kg 620
<b>PS 50</b>	Hp 5	mm 1.040	mm 820	mm 900	Kg 580
<b>PS 45</b>	Hp 5	mm 1.040	mm 820	mm 900	Kg 540
<b>PS 40</b>	Hp 4	mm 1.040	mm 820	mm 900	Kg 540
<b>PS 36</b>	Hp 4	mm 960	mm 880	mm 840	Kg 400
<b>PS 32</b>	Hp 4	mm 890	mm 770	mm 840	Kg 300

<b>Prestazioni - Performance - Caracteristiques - Caracteristicas</b>					
<b>Mod.</b>	Giri/m R.P.M. Tours/m	N/barre N/bars N/barres N/barras	45 Kg/mm <sup>2</sup>	65 Kg/mm <sup>2</sup>	85 Kg/mm <sup>2</sup>
			Diam. in mm.		
<b>PS 55</b>	4	1	55	45	40
		2	38	30	28
		3	30	28	24
<b>PS 50</b>	4/7	1	50/36	40/30	36/28
		2	34/26	28/22	26/20
		3	28/22	24/18	24/16
<b>PS 45</b>	6/12	1	45/36	36/26	32/24
		2	32/22	24/18	22/16
		3	26/18	22/16	20/14
<b>PS 40</b>	6/12	1	40/34	34/26	30/24
		2	26/22	24/18	22/16
		3	24/18	22/16	20/14
<b>PS 36</b>	7/14	1	36/26	30/24	26/22
		2	24/20	22/18	20/16
		3	22/18	20/16	18/14
<b>PS 32</b>	12/18	1	32/26	26/22	24/20
		2	22/18	18/16	16/14
		3	18/16	16/14	14/12

